Mathematics Revision Exercises

Simultaneous Equations and their Applications

Find a values for x and y which satisfy each of the following:-

1. x+y=6, x-y=0

- 2. x+2y=3, -x+3y=2
- 3. -3x+4y=7, 3x+y=-2
- 4. 2x+5y=16, x-y=1
- 5. 3x+4y=-7, 2x+y=-3
- 6. 2x-5y=1, 4x-3y=9
- 7. 4x-5y=22, 7x+3y=15
- 8. 2x+3y-8=0, 3x+2y=17
- 9. 7x+4y-1=0, 5x+2y+1=0
- 10. 2x-7y=-3, 3x-7y=-1
- 11. 3x+2y=6, x-y=1
- 12. 2x+y+2=0, x+2=y
- 13. 3x=4y+12, y=x-1
- 14. 4x=5y, 3y+7-5x
- 15. 3x-5y=2, 7x+3y=12
- 16. 11x+3y+7=0. 2x+5y-21=0
- 17. 7x+3y-15=0, 5x-2y=19 18. 5x-2y=6/10, 2x+y=3/2
- Find a solution to the following; -5p+q=10, 14p+3q=18 20. s-8t+20=0, 5s-7t+1=0
- 21. The sum of the length and breadth of a rectangle is 84cm. The length is 18cm more than the breadth. Find the length and breadth.
- Six bottles of juice and four cans of juice cost £3.40. Three bottles and ten cans of juice cost £4.90. Find the cost of a single bottle and a single can.
- A straight line has equation y=mx+c. (2,2) and (3,6) are 23. points on the line. Form a pair of equations and solve them to find m and c. If the point (a,14) lies on the line, find the value of 'a' from you equation.
- The height h metres above the ground reached by a missile 24. after t seconds is given by the equation h=at+bt2. Find the constants 'a' and 'b' given that h=19 when t=1, and when h=28 and t=2. Use the formula to calculate h when t=4. What happens when t=4.8?
- 25. 480 people attend a heavy metal concert. Standing tickets are £40 and seats cost £60 each! If the total amount of money taken in was £25,300 how many people were standing and how many were sitting?
- 26. A record company has a machine X which can make 30 CDs per minute. A new machine Y is installed which makes 40 CDs per minute. If 36,000 CDs were produced on a day when the total amount of machine running time was 18 hours, for how many hours was machine X operated for and machine Y operated for?